

WHY CHOOSE COMPOSITE?

Our composite decking boards provide a long lasting performance that timber can't match. Produced using recycled materials our boards are resistant to moisture, mildew and warping.



EASY INSTALLATION



COLOUR STABILITY



NO TREATMENT REQUIRED




DOES NOT ROT OR WARP



RECYCLED CONTENT



SLIP RESISTANT





DOUBLE-SIDED BOARDS



INSECT PROOF



DURABLE



EASILY



COLOUR MATCHING ACCESSORIES



MAINTENANCE



MADE FROM SUSTAINABLE MATERIALS

Each 3.6m board contains

3kg of recycled plastic

& 6kg of FSC® certified wood fibre.



RECYCLABLE BOARDS

All Allur products can be recycled at local recycling centres.



REDUCES DEFORESTATION

Our composite decking boards use less timber thus decreasing the need to cut down trees.

DOUBLE-SIDED BOARDS

All our composite decking boards are double-sided giving you the option to choose between wood grain or grooved decking or a mixture of both, simply turn the board to suit your style and design.



THE RANGE


The stunning, durable alternative to timber, our composite decking boards are available in a wide range of pre-treated colour options to suit your space and style.




ORDER YOUR FREE SAMPLES TODAY AT WWW.ALLUR.CO.UK

ALLUR DECKING SYSTEM


All of our composite decking boards are backed up with an extensive range of colour matching accessories to help you complete your project. Ensure your installation benefits from optimum longevity by using composite joists instead of timber.




JOISTSUsed to form your decking sub frame.



STARTER CLIPSFitted to the intersection of each joist.




PLASTIC T CLIPS
Used to secure each board
in place.




COLOUR MATCHING SCREWS


Offers a sleek finishing touch.



STARTER BOARDSUsed to complete the front edge of your deck.



CORNER EDGING STRIPS
Used as a neat finish to the outside edge
of your deck.



FASCIA BOARDSUsed on front facing areas such as steps.

PRODUCT SPECIFICATIONS

A brief overview of product codes, product dimensions and more.



DECKING BOARD 3600 x 148 x 25mm



GROOVED STARTER BOARD 3600 x 150 x 25mm



WOOD GRAIN STARTER BOARD 3600 x 140 x 25mm



COLOUR MATCHED SCREWS

24mm (Box of 100)



DOUBLE-SIDED

FASCIA BOARD

3000 x 140 x 12mm

DECKING JOIST 3000 x 50 x 28mm



CORNER EDGING

STRIP

3000 x 53 x 41mm

STARTER CLIP & SCREWS (Box of 50)



PLASTIC T CLIP & SCREWS (Box of 100)

FIND OUT MORE

For further technical information, including installation instructions, product data sheets, and guarantee documents please refer to

WWW.ALLUR.CO.UK

The website is also full of other useful information including where to buy, a decking board calculator, a visualiser that displays your chosen décor in both a day and night setting, as well as a free sample service.

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice.

Due to variations in the photographic and printing processes the colours shown may vary

Due to variations in the photographic and printing processes the colours shown may vary compared to the actual product, therefore it is recommended that actual product samples are viewed prior to purchase. E&OE.

Please note that decking boards may experience a level of weathering caused by UV rays, which may result in a slight lightening of the colour 3 to 6 months after installation. You may also notice a slight colour difference between Allur decking boards and accessories. Note that once the weathering process has taken place; this colour lightening and difference will diminish.



ORDER A DISPLAY STAND OR COUNTER-TOP PRESENTATION BOX & BECOME A STOCKIST



DISPLAY STAND(H) 1700 x (W) 750 x (D) 300mm



PRESENTATION BOX (H) 168 x (W) 306 x (D) 40mm



FREE SAMPLE SERVICE

Quick & easy online sample service available



DESIRE THE HAPPY OUTDOORS
SALES@ALLUR.CO.UK | WWW.ALLUR.CO.UK